# AUTHOR INDEX

Volume 80 • 1999


Akiyama, Y., Hara, K., Kobayashi, M., Tomiuga, T. and Nakamura, Tetsuya
Effect of V. $K_2$ on bone resorption in rats 67
Aomine, M. *See* Obata, T.
Aoyama, M. *See* Onodera, S.
Arai, Y. *See* Onodera, S.
Arimoto, T., Yoshikawa, T., Takano, H. and Kohno, M.
Generations of ROS and 8-OHdG by DEP 49
Asada, M. *See* Sawai, T.
Asano, T. *See* Satoh, S.
Asnis, N. *See* Gomez, R.
Azuma, Y., Seto, J., Ohno, K., Mikami, H., Yamada, T., Yamasaki, M., Chiba, M. and Nobuhara, Y.
Effect of NTE-122 on intestinal ACAT 81

Baba, K. *See* Takai, S.
Barros, H.M.T. *See* Gomez, R.
Boda, K. *See* Takaoka, Y.
de Bray, J.M. *See* Messager, T.

Chen, I.-J. *See* Lin, Y.-T.
Cheng, C.-J. *See* Lin, Y.-T.
Chiba, M. *See* Azuma, Y.

de Bray, J.M. *See* Messager, T.

Egashira, T., Takayama, F., Yamanaka, Y. and Komatsu, Y.
Monitoring of *Sho-saiko-to, Kampo* medicine 379
Endo, Masaki *See* Wang, P.-L.
Endoh, Masao *See* Sugawara, H.
Enoki, T. *See* Miwa, S.

Fujibayashi, K. *See* Kubota, K.
Fujii, J. *See* Kiraku, J.
Fujii, T., Ohba, S., Nakai, K., Fujimoto, K., Suzuki, Takeshi and Kawashima, K.
DMI enhances 5-HT-mediated ACh release 303
Fujimoto, K. *See* Fujii, T.
Fujimura, A. *See* Harada, K.
Fujishima, Y. *See* Ozaki, A.
Fujita, T. *See* Takai, S.
Fukumitsu, A. *See* Saito, R.
Funakoshi, A. *See* Shimazoe, T.
Funato, H., Watanabe, Mitsutoshi and Uemura, A.
Therapeutic effects of lacidipine 199

Gemba, M. *See* Yonehana, T.
Gomez, R., Asnis, N., Tannhauser, S.L. and Barros, H.M.T.
GABA agent and diabetes 327
Goto, T. *See* Ohara, F.

Handa, K. *See* Saito, R.
Hara, K. *See* Akiyama, Y.
Harada, K., Ohmori, M., Kitoh, Y., Sugimoto, K. and Fujimura, A.
Comparison of tamsulosin and terazosin 209
Haruno, A., Sugiyama, A. and Hashimoto, K.
Cardiovascular effects of bisaramil 267
Hashimoto, K. *See* Haruno, A.
—— *See* Sugiyama, A.
Hayashi, J. *See* Nojiri, M.
Hitomi, A. *See* Satoh, S.
Honda, K. *See* Saito, R.
Hong, S.-J. *See* Lin, Y.-T.
Horng, C.-F. *See* Lin, Y.-T.
Huang, Y.-C. *See* Lin, Y.-T.
Huang, Z.-L., Mochizuki, T., Watanabe, H. and Maeyama, K.
Stress and histamine release from mast cells 255

Iida, Y. *See* Shimada, M.
Ikeda, J. *See* Takai, S.
Ikegaki, I. *See* Satoh, S.
Imaizumi, Y. *See* Tokuno, T.
Imaizumi, Y., Ohi, Y., Yamamura, H., Ohya, S., Muraki, K. and Watanabe, Minoru
$Ca^{2+}$ spark and ion channel activity 1
Inaba, N. *See* Onodera, S.
Ishihara, K. and Sasa, M.
Therapeutic mechanism of ECT 185
Ishii, M. *See* Shimizu, S.
Iwai, T. *See* Nojiri, M.
Iwamuro, Y. *See* Miwa, S.
Iwao, H. *See* Kim, S.
—— *See* Miura, K.

Jallet, P. *See* Messager, T.
Le Jeune, J.J. *See* Messager, T.
Jin, D. *See* Takai, S.
Jinkawa, M. *See* Kontani, H.

Kakizoe, E. *See* Wang, D.-Q.
Kamiya, H. *See* Saito, R.
Kasugai, S. *See* Waki, Y.
Katayama, K. *See* Kimura, M.
—— *See* Sawai, T.
Katsuragi, T. *See* Sato, C.
Kawana, K. *See* Nojiri, M.
Kawashima, K. *See* Fujii, T.
Kim, S. *See* Miura, K.
Kim, S. and Iwao, H.
Cardiovascular disease and MAP kinases 97
Kimura, M., Katayama, K. and Nishizawa, Y.
Calcium channels in glutamate toxicity 351
Kiraku, J., Nakamura, Tetsuya, Sugiyama, T., Takahashi, N., Kuro-o, M., Fujii, J. and Nagai, R.
Nitric oxide and sodium-proton exchanger 181
Kirimura, K. *See* Takai, S.
Kitoh, Y. *See* Harada, K.
Kiuchi, Y. *See* Shimizu, S.
Kobayashi, M. *See* Akiyama, Y.
Kobayashi, T. *See* Satoh, S.
Kobayashi, Y. *See* Wang, D.-Q.
Kohno, M. *See* Arimoto, T.
Komatsu, Y. *See* Egashira, T.
Kono, A. *See* Shimazoe, T.
Kontani, H., Jinkawa, M., Shiraoya, C. and Nagashima, A.
Effect of drugs on the rat urinary tract 143
Kubota, K., Kubota-Watanabe, M., Fujibayashi, K. and Saito, K.
Capsaicin algesia in neonatal rat 137
Kubota-Watanabe, M. *See* Kubota, K.

Kuraishi, Y. *See* Sasamura, T.
Kuramoto, N., Ogita, K. and Yoneda, Y.
Myc family members 103
Kuro-o, M. *See* Kiraku, J.

Lai, C.-S. *See* Pieper, G.M.
Le Jeune, J.J. *See* Messager, T.
Lin, Y.-T., Wu, B.-N., Horng, C.-F., Huang, Y.-C., Hong, S.-J., Lo, Y.-C., Cheng, C.-J. and Chen, I.-J.
Tracheal relaxant $\beta$-adrenoceptor blocker 127
Lo, Y.-C. *See* Lin, Y.-T.

Maeda, K. *See* Ohara, F.
Maetani, M. *See* Shimazoe, T.
Maeyama, K. *See* Huang, Z.-L.
Masaki, T. *See* Miwa, S.
Matsuura, S. *See* Takaoka, Y.
Messager, T., de Bray, J.M., Jallet, P., Rump, E. and Le Jeune, J.J.
Closed cranial window in gerbils 289
Mikami, H. *See* Azuma, Y.
Miura, K., Okumura, M., Yamanaka, S., Kim, S. and Iwao, H.
Adenosine A2 receptor and kidney 173
Renal adenosine and 4-pentenoic acid 223
Miwa, S., Iwamuro, Y., Zhang, X.-F., Enoki, T., Okamoto, Y., Okazawa, M. and Masaki, T.
ET-1 vs voltage-independent $Ca^{2+}$ channel 281
Miyamoto, K. *See* Waki, Y.
Miyasaka, K. *See* Shimazoe, T.
Miyazaki, M. *See* Takai, S.
Mochizuki, T. *See* Huang, Z.-L.
Murakawa, N. *See* Wang, P.-L.
Muraki, K. *See* Imaizumi, Y.
—— *See* Tokuno, T.
Muramatsu, I. *See* Takakura, K.

Nabeshima, T. *See* Yamada, K.
Nagai, H. *See* Takaoka, Y.
Nagai, R. *See* Kiraku, J.
Nagai, T. *See* Shimizu, S.
Nagao, T. *See* Nishida, M.
Nagashima, A. *See* Kontani, H.
Nagata, K. *See* Shimada, M.
Nakai, K. *See* Fujii, T.
Nakamura, S. *See* Shimazoe, T.
Nakamura, Tetsuya *See* Akiyama, Y.
Nakamura, Tetsuya *See* Kiraku, J.
Niki, I.
Regulation of insulin release 191
Nishida, M., Sakamoto, K., Urushidani, T. and Nagao, T.
Cardioprotection by *l-cis* diltiazem 319
Nishio, E. *See* Tomiyama, K.
Nishizawa, A. *See* Onodera, S.
Nishizawa, Y. *See* Kimura, M.
—— *See* Sawai, T.
Nobuhara, Y. *See* Azuma, Y.
Nojiri, M., Tanonaka, K., Yabe, K., Kawana, K., Iwai, T., Yamane, M., Yoshida, H., Hayashi, J. and Takeo, S.
Preconditioning of rat cardiomyocyte 15
Nunoi, H. *See* Sawai, T.

Obata, T., Aomine, M. and Yamanaka, Y.
·OH scavenging action by histidine 217
Ogita, K. *See* Kuramoto, N.
Ohara, F., Sugimoto, T., Yamamoto, N., Ohkubo, K., Ozaki, T., Maeda, K., Seki, J. and Goto, T.
Cardioprotective effect of FR168888 295
Ohba, S. *See* Fujii, T.
Ohi, Y. *See* Imaizumi, Y.
Ohkubo, K. *See* Ohara, F.
Ohmori, M. *See* Harada, K.
Ohno, K. *See* Azuma, Y.
Ohura, K. *See* Wang, P.-L.
Ohya, K. *See* Waki, Y.
Ohya, S. *See* Imaizumi, Y.
Ohyama, N. and Yamaguchi, S.
$\alpha_1$-Adrenergic effects on tooth movement 271
Okamoto, Y. *See* Miwa, S.
Okamura, M. *See* Wang, P.-L.
Okazawa, M. *See* Miwa, S.
Okumura, M. *See* Miura, K.
Okunishi, H. *See* Wang, D.-Q.
Onodera, S., Tanaka, M., Aoyama, M., Arai, Y., Inaba, N., Suzuki, Takao, Nishizawa, A., Shibata, M. and Sekine, Y.
Effect of lafutidine on NSAID-ulcer 229
Ozaki, A., Fujishima, Y. and Sukamoto, T.
KB-R6933, a novel 5-$HT_3$ receptor antagonist 25
Ozaki, A., Yoshidomi, M. and Sukamoto, T.
Anti-diarrheal effect of KB-R6933 93
Ozaki, T. *See* Ohara, F.

Pieper, G.M. and Lai, C.-S.
Scavenger probe of endothelial NO 359

Ren, X. *See* Yamada, K.
Rump, E. *See* Messager, T.

Saito, K. *See* Kubota, K.
Saito, R., Handa, K., Tanaka, S., Fukumitsu, A., Honda, K., Takano, Y. and Kamiya, H.
EFS-induced biphasic relaxation 169
Saitoh, Y. *See* Waki, Y.
Sakaguchi, M. *See* Takai, S.
Sakamoto, K. *See* Nishida, M.
Sakata, S. *See* Wang, P.-L.
Sasa, M. *See* Ishihara, K.
Sasamura, T. and Kuraishi, Y.
Capsaicin and VR1 receptor 275
Sato, C., Tsujioka, Y. and Katsuragi, T.
Ileal contraction by P2-agonists 311
Satoh, S., Kobayashi, T., Hitomi, A., Ikegaki, I., Suzuki, Y., Shibuya, M., Yoshida, J. and Asano, T.
Neutrophil migration and protein kinases 41
Sawai, T., Asada, M., Nishizawa, Y., Nunoi, H. and Katayama, K.
Alkylamines inhibit NADPH oxidase 237
Seki, J. *See* Ohara, F.
Sekine, Y. *See* Onodera, S.
Seto, J. *See* Azuma, Y.
Shibata, M. *See* Onodera, S.
Shibuya, M. *See* Satoh, S.
Shimada, M., Watanabe, E., Iida, Y., Nagata, K. and Yamazoe, Y.
Suppression of drug sulfation by LPS 371
Shimazoe, T., Maetani, M., Nakamura, S., Yamanouchi, S., Watanabe, S., Miyasaka, K., Kono, A. and Funakoshi, A.
Entrainment disorder in OLETF rats 85
Shimizu, S., Yasuda, M., Ishii, M., Nagai, T., Kiuchi, Y. and Yamamoto, T.
Stimulation of angiogenesis by BH4 177
Shimoura, K. *See* Wang, D.-Q.
Shinohara, M. *See* Wang, P.-L.
Shiraoya, C. *See* Kontani, H.
Sugawara, H. and Endoh, Masao

$Ca^{2+}$ sensitization and PDE inhibition 55
Sugimoto, K. *See* Harada, K.
Sugimoto, T. *See* Ohara, F.
Sugiyama, A. *See* Haruno, A.
Sugiyama, A., Takehana, S. and Hashimoto, K.
Laser blood flowmeter 263
Sugiyama, T. *See* Kiraku, J.
Sukamoto, T. *See* Ozaki, A.
Suzuki, Takao *See* Onodera, S.
Suzuki, Takeshi *See* Fujii, T.
Suzuki, Y. *See* Satoh, S.

Takahashi, N. *See* Kiraku, J.
Takai, S., Jin, D., Kirimura, K., Ikeda, J., Sakaguchi, M., Baba, K., Fujita, T. and Miyazaki, M.
Lipoxygenase affects Ang II function 89
Takakura, K. and Muramatsu, I.
cGMP and relaxation of rat gastric fundus 155
Takano, H. *See* Arimoto, T.
Takano, Y. *See* Saito, R.
Takaoka, Y., Matsuura, S., Boda, K. and Nagai, H.
Cytokine production and mesoporphyrin 33
Takayama, F. *See* Egashira, T.
Takehana, S. *See* Sugiyama, A.
Takeo, S. *See* Nojiri, M.
Tanaka, M. *See* Onodera, S.
Tanaka, S. *See* Saito, R.
Tannhauser, S.L. *See* Gomez, R.
Tanonaka, K. *See* Nojiri, M.
Tokuno, T., Muraki, K., Watanabe, Minoru and Imaizumi, Y.
$Ca^{2+}$ transient and $K^+$ currents in heart 243
Tokuno, T., Watanabe, Minoru and Imaizumi, Y.
pH and lactate in cardiac myocytes 343
Tomiuga, T. *See* Akiyama, Y.
Tomiyama, K., Nishio, E. and Watanabe, Y.
Differentiation of 3T3-L1 cells 375
Tsujioka, Y. *See* Sato, C.

Uemura, A. *See* Funato, H.
Umezu, T.
Vogel conflict test in mice 111
Urushidani, T. *See* Nishida, M.

Waki, Y., Miyamoto, K., Yamamoto, S., Saitoh, Y., Kasugai, S. and Ohya, K.
Walker 256/S as an osteoporosis model 119
Wang, D.-Q., Kakizoe, E., Kobayashi, Y., Shimoura, K. and Okunishi, H.
ACE in cardiovascular hypertrophy 333
Wang, P.-L., Shinohara, M., Murakawa, N., Endo, Masaki, Sakata, S., Okamura, M. and Ohura, K.
*P. gingivalis* protease on epithelial cells 75
Watanabe, E. *See* Shimada, M.
Watanabe, H. *See* Huang, Z.-L.
Watanabe, Minoru *See* Imaizumi, Y.
—— *See* Tokuno, T.
Watanabe, Mitsutoshi *See* Funato, H.
Watanabe, S. *See* Shimazoe, T.
Watanabe, Y. *See* Tomiyama, K.
Wu, B.-N. *See* Lin, Y.-T.

Yabe, K. *See* Nojiri, M.
Yamada, K., Ren, X. and Nabeshima, T.
Pharmacotherapy in Alzheimer's disease 9
Yamada, T. *See* Azuma, Y.
Yamaguchi, S. *See* Ohyama, N.
Yamamoto, N. *See* Ohara, F.
Yamamoto, S. *See* Waki, Y.
Yamamoto, T. *See* Shimizu, S.
Yamamura, H. *See* Imaizumi, Y.
Yamanaka, S. *See* Miura, K.
Yamanaka, Y. *See* Egashira, T.
—— *See* Obata, T.
Yamane, M. *See* Nojiri, M.
Yamanouchi, S. *See* Shimazoe, T.
Yamasaki, M. *See* Azuma, Y.
Yamazoe, Y. *See* Shimada, M.
Yasuda, M. *See* Shimizu, S.
Yoneda, Y. *See* Kuramoto, N.
Yonehana, T. and Gemba, M.
Adenosine on hypoxia-reoxygenation injury 163
Yoshida, H. *See* Nojiri, M.
Yoshida, J. *See* Satoh, S.
Yoshidomi, M. *See* Ozaki, A.
Yoshikawa, T. *See* Arimoto, T.

Zhang, X.-F. *See* Miwa, S.

# SUBJECT INDEX

## Volume 80 • 1999


Acetylcholine 303
Activator protein-1 97
Acute renal failure 163
Acyl-CoA:cholesterol acyltransferase (ACAT) inhibitor 81
Adenosine 173, 223, 289
Adenosine A2 receptor 163, 173
Adenosine receptor 15
Adhesion molecule 75
Adipocytic differentiation 375
ADP-$\beta$-S 311
$\alpha_1$-Adrenoceptor 209
$\beta_1$-Adrenoceptor antagonist 127
Alkylamine 237
Alzheimer's disease 9
$\beta$-Amyloid 9
Analgesia 137
Angiogenesis 177
Angiotensin II 89, 97
Animal model 9
Anxiety 111
Aorta (rat) 155
Aortic banding 333
Arachidonic acid 237
Arginine 359
Arrhythmia 295
ATP-sensitive potassium channel 15

Benzimidazole derivative 25
von Bezold-Jarisch reflex 25
Biphasic relaxation 169
Bisaramil 267
Blood vessel 209
Blood-perfused preparation 267
Bone mineral density 67

$Ca^{2+}$ 191
Calcium channel 281, 351
$Ca^{2+}$ sensitizer 55
$Ca^{2+}$ transient 55, 243
Calcium antagonist 199
Calcium spark 1
Capsaicin 137, 275
Capsaicin-sensitive neuron 229
Cardiac muscle 1
Cardiac myocyte (ventricular, guinea pig) 343
Cardiomyocyte (adult rat) 15
Cardiomyocyte (ventricular, rabbit) 55
Cardiovascular disease 97
Cardiovascular effect 267
Cell culture 351
Cerebral ischemia 41
Cholesterol absorption 81
Closed cranial window 289
Collagen 333
Contraction 89, 311
Cromakalim 243
Cyclic AMP 163
Cyclic GMP 155
Cyclooxygenase activity 33
Cystometrogram (rat) 143
Cytochrome P450 49

Decapitation 255
Depolarization 217
Depressive disorder 185
Desmethylimipramine 303
Diabetes mellitus 359
Diarrhea 93
Diesel exhaust particle 49
*l-cis*-Diltiazem 319
Dithiocarbamate 359
DNA binding 103
DNA topology 103

E4031 (1-[2-(6-methyl-2-pyridyl)-ethyl]-4-(4-methylsulfonylaminobenzoyl)piperidine) 243
E-box element 103
Electroconvulsive therapy (ECT) 185
Electromagnetic flowmeter 263
Electron spin resonance 49
EMD 53998 (5-[1-(3,4-dimethoxybenzoyl)-1,2,3,4-tetrahydro-6-quinolyl]-6-methyl-3,6-dihydro-2*H*-1,3,4-thiadiazin-2-one, the racemic mixture of (+)-enantiomer EMD 57033 and (−)-enantiomer EMD 57439) 55
EMD 57033 55
Enalapril 333
Endothelin 281
Endothelium 359
Endothelium-derived relaxing factor (EDRF) 169
Energy 351
Entrainment 85
Estrus cycle 119

Fasudil 41
FR168888 (5-hydroxymethyl-3-(pyrrol-1-yl) benzoylguanidine methanesulfonate) 295

$GABA_A$ 327
$GABA_B$ 327
Gastric fundus (rat) 155
Gene expression 97
Gentle handling 255
Gingival epithelial 75
Glomerular filtration rate 223
[$^3$H]GR65630 binding (GR65630: 3-(5-methyl-1*H*-imidazol-4-yl)-1-(1-methyl-1*H*-indol-3-yl)-1-propranone) 25
Granule traffic 191

Heart 243
Heat stimulation 275
Hippocampus 303
Histamine $H_2$-receptor antagonist 229
Histamine release 255
Histidine 217
Histomorphometry 67
5-$HT_3$-receptor antagonist 25, 93
Human study 209
8-Hydroxy-2′-deoxyguanosine 49
Hydroxyl radical 217
Hyperglycemia 327
Hypertension 181
Hypoxia 289
Hypoxia and reoxygenation 163

Ileum (guinea pig) 311
Immobilization stress 255
Indomethacin 229
Infarct size 319
Insulin 327
Interferon-$\gamma$ 33
Interscapular brown adipose tissue 127
Ischemia 319, 343
Ischemia and reperfusion 295
Isoeugenol 127

$K^+$ channel 1, 15, 217, 243, 289
$K^+$ channel opener 143
Kainate 351
KB-R6933 (6-amino-5-chloro-1-isopropyl-2-(4-methyl-1-piperazinyl)-benzimidazole dimaleate) 25, 93

Lacidipine 199
Lactate 343
Lafutidine 229
Laser blood flowmeter (portable-type) 263
Learning and memory 9
Lipopolysaccharide 371
Lipoxygenase 89
Liver 371
LLC-PK1 cell 163
LOE 908 ((*RS*)-(3,4-dihydro-6,7-dimethoxy-isoquinoline-1-$\gamma$1)-2-phenyl-*N,N*-di-[2-(2,3,4-trimethoxyphenyl)ethyl]acetamide) 281
Luteinizing hormone-releasing hormone (LH-RH) 119

Menopause 119
Mesenteric artery 169
Mesoporphyrin 33
$\alpha,\beta$-Methylene ATP 311
$\beta,\gamma$-Methylene ATP 311
Microdialysis 217, 303
Migration 41
c-Myc family protein 103
Myocardial infarction 295
Myosin 191

NADPH-cytochrome P450 reductase 49
NADPH oxidase 237
$Na^+/H^+$ exchange 295

*N*-methyl-D-aspartate (NMDA) 351
Nedocromil 255
Neonatal rat 137
Neutrophil 41, 237
Nitrergic transmitter 155
Nitric oxide 155, 181, 359
Nitroglycerin 143
Nociception 275
Nociceptive response 137
Non-steroidal antiinflammatory drugs-induced ulcer 229
NTE-122 (*trans*-1,4-bis[[1-cyclohexyl-3-(4-dimethylamino phenyl)ureido]methyl] cyclohexane) 81

Opioid 137
Organ difference 333
Osteoclast number 67
Osteoporosis 119
Otsuka Long Evans Tokushima Fatty (OLETF) rat 85
Ovariectomy 67

Pancreatic beta-cell 191
4-Pentenoic acid 223
pH 343
Pharmacodynamics 379
Phasic coronary blood flow 263
Phenylephrine 271
Pial arteriole 289
*Porphyromonas gingivalis* protease 75
Portable-type laser blood flowmeter 263
Potassium channel 1, 15, 217, 243, 289
Potassium channel opener 143
Prazosin 271
Preconditioning 15
Proliferation 177
Protein (c-Myc family) 103
Protein kinase C 15
Protein kinase inhibitor 41
Protein phosphorylation 191
Proton 275
Psychoactive drug 111

Quantification of nociceptive response 137

Radial scavenger 379
Radioligand binding study 127
Reactive oxygen species 49
Regional blood flow 199
Renal 223
Renal failure (acute) 163
Renal hemodynamics 173
Reperfusion 343
Ryanodine receptor 1

Serotonin (5-HT) 303
Serotonin receptor 185
*Sho-saiko-to* (*Kampo* medicine) 379
Simvastatin 375
SK&F 96365 (1-{β-[3-(4-methoxyphenyl) propoxy]-4-methoxyphenethyl}-1-*H*-imidazole hydrochloride) 281
Smooth muscle 1
Smooth muscle cell (vascular) 281
Smooth muscle relaxation 127
Sodium-proton exchanger 181
Stress 255
Stroke-prone spontaneously hypertensive rat (SHRSP) 199
Sulfotransferase 371
Suprachiasmatic nucleus 85

Tamsulosin 209
Terazosin 209
Tetrahydrobiopterin 177
Tooth movement 271
Trandolapril 333
Transcription factor 103
Translocation 237

Ureteral peristaltic movement 143
Urethral resistance 143

Vascular lesion 199
Vascular smooth muscle cell 281
Ventricular cardiomyocyte (rabbit) 55
Vitamin $K_2$ 67
Vogel conflict test (mouse) 111
von Bezold-Jarisch reflex 25
VR1 receptor 275

Walker 256/S carcinosarcoma 119
Wortmannin 375